

Bibliography

- Abbott, M., A. Damsgaard and G. Rodenhuis, 1973, "System 21 Jupiter, A design system for two dimensional nearly-horizontal flows", *Journal of Hydraulic Research*, 1, pp. 1-28.
- Adcroft, A., C. Hill and J. Marshall, 1997, "Representation of Topography by Shaved Cells in a Height Coordinate Ocean Model", *Monthly Weather Review*, 125, pp. 2293-2315.
- Allen, J., M. Eknes and G. Evensen, 2002, "An Ensemble Kalman Filter with a complex marine ecosystem model: hind casting phytoplankton in the Cretan Sea", European Geophysical Society, *Annales Geophysicae*, 20, pp. 1-13.
- Ambar I., A. Fiúza, T. Boyd and R. Frouin, 1986, "Observations of a warm oceanic current flowing northward along the coasts of Portugal and Spain during Nov-Dec 1983". *Eos Trans. AGU*, 67(144), 1054.
- Antunes, I., 1999. *Modelação Matemática da Qualidade da Água no Estuário do Tejo*, Master Thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, Lisboa.
- Auclair, F., P. Marsaleix and P. De Mey, 2003, "Space-time structure and dynamics of the forecast error in a coastal circulation model of the Gulf of Lions", *Dynamics of Atmosphere and Oceans*, 36, pp. 309-346.
- Baeta, F., A. Pinheiro, M. Corte-Real, J. Costa, P. De Almeida, H. Cabral and M. Costa, 2005, "Are the fisheries in Tagus sustainable?", *Fisheries Research*, 76, pp. 243-251.
- Barth, A., A. Alvera-Azcárate, J.-M. Beckers, M. Rixen and L. Vandenbulcke, 2007, "Multigrid state vector for data assimilation in a two-way nested model of the Ligurian Sea", *Journal of Marine Systems*, 65, pp. 41-59.
- Bell, M., R. Forbes and A. Hines, 2000, "Assessment of the FOAM global data assimilation system for real-time operational ocean forecasting", *Journal of Marine Systems*, 25, pp. 1-22.
- Bertino, L., G. Evensen and H. Wackernagel, 2002, "Combining geostatistics and Kalman filtering for data assimilation in an estuarine system", *Inverse Problems*, 18(1) Feb., pp. 1-23.
- Besiktepe, S., P. Lermusiaux and A. Robinson, 2003, "Coupled physical and biogeochemical data-driven simulations of Massachusetts Bay in late summer: real-time and postcruise data assimilation", *Journal of Marine Systems*, 40-41, pp. 171-212.
- Bleck, R., 2002, "An oceanic general circulation model framed in hybrid isopycnic-cartesian coordinates", *Ocean Modelling*, 4, pp. 55-88.
- Blumberg, A. and L. Kantha, 1985, "Open boundary condition for circulation models", *Journal of Hydraulic Engineering*, ASCE, 111, pp. 237-255.
- Bode, L. and T. Hardy, 1997, "Progress and Recent Developments in Storm Surge Modeling", *Journal of Hydraulic Engineering*, 123(4), pp. 315-331.
- Brasseur, P., J. Ballabrera-Poy, J. Verron, 1999, "Assimilation of altimetric data in the mid-latitude oceans using the Singular Evolutive Extended Kalman filter with an eddy-resolving, primitive equation model", *Journal of Marine Systems*, 22, pp. 269-294.
- Brasseur, P. and J. Verron, 2006, "The SEEK filter method for data assimilation in oceanography: a synthesis", *Ocean Dynamics*, 56, pp. 560-661.
- Braunschweig, F., F. Martins, P. Leitão and R. Neves, 2003, "A methodology to estimate renewal time scales in estuaries: the Tagus Estuary case", *Ocean Dynamics*, 53 (3), pp. 137-145.
- Brown, R. and P. Hwang, 1997, *Introduction to Random Signals and Applied Kalman Filtering with Matlab Exercises and Solutions*, Third edition, John Wiley and Sons, New York.

- Brusdal, K., J. Brankart, G. Halberstadt, G. Evensen, P. Brasseur, P. van Leeuwen, E. Dombrowsky and J. Verron, 2003, "A demonstration of ensemble-based assimilation methods with a layered OGCM from the perspective of operational ocean forecasting systems", *Journal of Marine Systems*, 40-41, pp. 253-289.
- Caçador, I., C. Vale and F. Catarino, 1996, "Accumulation of Zn, Pb, Cu, Cr and Ni in sediments between the roots of the Tagus Estuary salt marshes, Portugal", *Estuarine Coastal and Shelf Science*, 42, pp. 393-403.
- Câmara, A., M. Silva, J. Ferreira, A. Rodrigues, J. Remédio, P. Castro, T. Fernandes and V. Machado, 1987, *Sistema de Gestão da Qualidade da Água do Estuário do Tejo*, Relatório Técnico, Projecto Tejo nº 15, Estudo Ambiental do Estuário do Tejo.
- Cameron, W. and D. Pritchard, 1963, Estuaries. *The sea*, Ed. M. N. Hill, Vol. 2, pps. 306-324, John Wiley & Sons, New York.
- Cancino L. and R. J. Neves, 1998, "Hydrodynamic and sediment suspension modelling in estuarine systems. part II: Application in the Scheldt and Gironde Estuaries", *Journal of Marine Systems*, 22, 117-131.
- Cañizares, R., 1999, *On the Application of Data Assimilation in Regional Coastal Models*, A. A. Balkema, Rotterdam.
- Cañizares, R., H. Madsen, H. Jensen and H. Vested, 2001, "Developments in Operational Shelf Sea Modelling in Danish Water", *Estuarine, Coastal and Shelf Science*, 53, pp. 595-605.
- Carmillet, V., J. Brankart, P. Brasseur, H. Drange, G. Evensen and J. Verron, 2001, "A singular evolutive extended Kalman filter to assimilate ocean color data in a coupled physical-biochemical model of the North Atlantic ocean", *Ocean Modelling*, 3, pp. 167-192.
- Castellucci, L., 2002, "Economic assessments of the value of marine industries and services and user requirements", in Flemming, N., S. Vallerga, N. Pinardi, H. Behrens, G. Manzella, D. Prandle, J. Stel (editors), *Operational Oceanography – Implementation at the European and Regional Scales, Proceedings of the Second International Conference on EuroGOOS*, Elsevier, Amsterdam, pp. 45-56.
- Choi, B., H. Eum and S. Woo, 2003, "Modeling of coupled tide-wave-surge process in the Yellow Sea", *Ocean Engineering*, 30, pp. 739-759.
- Coelho, H., 2002, *Modelação de Processos Físicos Relacionados com a Circulação Oceânica na Margem Continental Ibérica*, Ph.D. Thesis, Universidade Técnica de Lisboa, Instituto Superior Técnico, Lisboa.
- Coelho, H., R. Neves, M. White, P. Leitão and A. Santos, 2002, "A model for ocean circulation on the Iberian coast", *Journal of Marine Systems*, 32 (1-3), pp. 153-179.
- Costa, M. and H. Cabral, 1999, "Changes in the Tagus nursery function for commercial fish species: perspectives for management", *Aquatic Ecology*, 33, pp. 287-292.
- Davies, A. and J. Xing, 2004, "Modelling processes influencing wind-induced internal wave generation and propagation", *Cont. Shelf Res.*, 22(15), pp. 2081-2271.
- Decyk, V., C. Norton and B. Szymanski, 1997, "Expressing Object-Oriented Concepts in Fortran90", *ACM Fortran Forum*, 16.
- Devenon, J.-L., I. Dekeyser, Y. Leredde and J.-M. Lellouche, 2001, "Assimilation de données par méthode variationnelle utilisant l'adjoint d'un code de circulation côtière tridimensionnel", *Oceanologica Acta*, 24 (5), pp. 395-407.
- Doodson, A. and H. Warburg, 1961, *Admiralty manual of tides*, Her Majesty's Stationary Office, London.
- Dorandau, J. and P. Le Traon, 1999, "Effects of Global Mean Atmospheric Pressure Variations on Mean Sea Level Changes from TOPEX/Poseidon", *Journal of Atmospheric and Oceanic Technology*, 16, pp. 1279-1283.

- Dudhia, J., Gill, D., Manning, K., Wang, W. and Bruyere, C., 2004. "PSU/NCAR Mesoscale Modeling System, Tutorial Class Notes and Users Guide (MM5 Modeling System Version 3)", Mesoscale and Microscale Meteorology Division, National Center for Atmospheric Research, Boulder, Colorado, USA. <http://www.mmm.ucar.edu/mm5/documents/tutorial-v3-notes.html> (02/04/05).
- Emery, W. and R. Thomson, 2001, *Data Analysis Methods in Physical Oceanography*, Elsevier Science B. V., Amsterdam.
- Eurostrataform, 2006, *Final Project Synthesis – 1 November 2002 - 31 October 2005*.
- Evensen, G., 1992, "Using the Extended Kalman Filter with a Multilayer Quasi-Geostrophic Ocean Model", *Journal of Geophysical Research*, 97(C11), pp. 17905-17924.
- Evensen, G., 1994, "Sequential data assimilation with a nonlinear quasi-geostrophic model using Monte Carlo methods to forecast error statistics", *Journal of Geophysical Research*, 99 (C5), pp. 10143-10162.
- Evensen, G., 2003, "The Ensemble Kalman Filter: theoretical formulation and practical implementation", *Ocean Dynamics*, 53, pp. 343-367.
- Fanjul, E., B. Gomez, J. Carretero and I. Arevalo, 1998, "Tide and surge dynamics along the Iberian Atlantic coast", *Oceanologica Acta*, 21(2), pp. 131-143.
- Fernandes, R., 2005, *Modelação Operacional no Estuário do Tejo*, Master Thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, Lisboa.
- Ferreira, J., 2004, "Coastal Zone Vulnerability and Risk Evaluation. A Tool for Decision-Making (An Example In the Caparica Littoral – Portugal)", *Journal of Coastal Research*, Special Issue 39.
- Flather, R., 1976, "A Tidal Model of the North-West European Continental shelf", *Memoires Societe Royale des Sciences de Liege*, 6e serie (tome X), pp. 141-164.
- Flather, R., 2000, "Existing operational oceanography", *Coastal Engineering*, 41, pp. 13-40.
- Fortunato A., A. Oliveira and A. Baptista, 1999, "On the Effect of Tidal Flats on the Hydrodynamics of the Tagus Estuary", *Oceanologica Acta*, 22(1), pp. 31-44.
- França, S., C. Vinagre, I. Caçador and H. Cabral, 2005, "Heavy metal concentrations in sediment, benthic invertebrates and fish in three salt marsh areas subjected to different pollution loads in the Tagus Estuary (Portugal)", *Marine Pollution Bulletin*, 50, pp. 993-1018.
- Freire, P. and C. Andrade, 1999, "Wind-induced sand transport in Tagus estuarine beaches", *Aquatic Ecology*, 33, pp. 225-233.
- Frouin R., A. Fiúza, I. Ambar and T. Boyd, 1990, "Observations of a poleward surface current off the coasts of Portugal and Spain during the winter", *J. Geophys. Res.*, 95, pp. 679-691.
- Gama, C., J. Dias, O. Ferreira and R. Taborda, 1994, "Analysis of storm surge in Portugal, between June 1986 and May 1988", *Proceedings of Littoral 94*, Lisboa, pp. 381-387.
- Gerritsen, H., J. de Vries and M. Phillipart, 1995, "The Dutch continental shelf model", In Lynch, D. and A. Davies (Eds.), *Quantitative Skill Assessment for Coastal Ocean Models*, Coastal and Estuarine Studies 47 AGU, Washington DC.
- Gill, A., 1982, *Atmosphere-Ocean Dynamics*, Academic Press, International Geophysics Series, San Diego.
- Gomes, A., 2001-2002, "Análise Morfológica dos canhões submarinos da Nazaré e de Setúbal", *Revista da Faculdade de Letras – Geografia*, XVII-XVIII, pp. 65-135.
- Gordon, R. and N. Marshall, 1976, "Submarine canyons internal wave traps?", *Geophys. Res. Lett.*, 3, pp. 622-624.

- Hankin, S., L. Bahner, L. Bernard, P. Bogden, R. Cohen, P. Cornillon, L. Dantzler, S. Glen, F. Grassle, D. Legler, W. Nowlin, T. Orsi, B. Sherman, M. Spaulding and S. Starke, 2002, A Data and Communications Infrastructure for the U.S. Integrated Sustained Ocean Observing System, http://www.ocean.us/projects/papers/background/BAKDOC8_Data-Information-ManagementPaper.doc (27/03/2003).
- Haynes, R. and E. D. Barton, 1990, "A poleward flow along the Atlantic coast of the Iberian peninsula", *Journal of Geophysical Research*, 95, pp. 11425-11441.
- Haynes, R., E. Barton and I. Pilling, 1993, "Development, Persistence, and Variability of Upwelling Filaments off the Atlantic Coast of the Iberian Peninsula", *Journal of Geophysical Research*, 98 (C12), 22681 – 22692.
- Hotchkiss, F. and C. Wunsch, 1982, "Internal waves in Hudson Canyon with possible geological implications", *Deep-Sea Res.*, 29, pp. 415-442.
- Hoteit, I., D. Pham and J. Blum, 2000, "Efficient reduced Kalman filtering and application to altimetric data assimilation in tropical pacific", Technical Report, RR-3937, INRIA.
- Hoteit, I., 2001, *Filtres de Kalman Reduits et Efficaces pour l'Assimilation de Données en Oceanographie*, Ph.D. thesis, Université de Joseph Fourier – Grenoble I.
- Hoteit, I., D. Pham and J. Blum, 2001, "A Semi-Evolutive Partially Local Filter for Data Assimilation", *Marine Pollution Bulletin*, 43 (7-12), pp. 164-174.
- Hoteit, I., D.-T. Pham and J. Blum, 2002, "A simplified reduced order Kalman filtering and application to altimetric data assimilation in tropical Pacific", *Journal of Marine Systems*, 36, pp. 101-127.
- Hoteit, I., G. Triantafyllou and G. Petihakis, 2004, "Towards a data assimilation system for the Cretan Sea ecosystem using a simplified Kalman filter", *Journal of Marine Systems*, 45, pp. 159-171.
- Hoteit, I., G. Korres and G. Triantafyllou, 2005, "Comparison of extended and ensemble based Kalman filters with low and high resolution primitive equation ocean models", *Nonlinear Processes in Geophysics*, 12, pp. 755-765.
- Hoteit, I., 2007 (a), *EOF analysis Fortran code*, personal communication.
- Hoteit, I., 2007 (b), *SEEK Fortran code*, personal communication.
- Hoteit, I., 2008, "A reduced-order simulated annealing approach for four-dimensional variational data assimilation in meteorology and oceanography", *International Journal for Numerical Methods in Fluids*, 58, pp. 1181-1199.
- Hunkins, K., 1988, "Mean and tidal currents in Baltimore Canyon", *Journal of Geophysical Research*, 93, pp. 6917-6929.
- Ide, K., P. Courtier, M. Ghil and A. Lorenc, 1997, "Unified Notation for Data Assimilation: Operational, Sequential and Variational", *Journal of Meteorological Society of Japan*, 75(1B), pp. 181-189.
- INAG (Instituto da Água) and MARETEC, 2002, *Water Quality in Portuguese Estuaries: Tejo, Sado and Mondego*, Lisbon.
- James, I., 2002, "Modelling pollution dispersion, the ecosystem and water quality in coastal waters: a review", *Environmental Modelling & Software*, 17, pp. 363-385.
- Jazwinsky, A., 1970, *Stochastic Processes and Filtering Theory*, Academic Press, New York.
- Kalman, R., 1960, "A New Approach to Linear Filtering and Prediction Problems", *Journal of Basic Engineering*, 82(D), pp. 35-45.
- Kantha, L. and C. Clayson, 2000, *Numerical Models of Oceans and Oceanic Processes*, Vol. 66, International Geophysics Series, Academic Press.

- Lafuente, J., T. Sarhan, M. Vargas, J. Vargas and F. Plaza, 1999, "Tidal motions and tidal induced fluxes through La Línea submarine canyon, western Alboran Sea", *Journal of Geophysical Research*, 104(C2), pp. 3109-3119.
- Leendertse J., 1967, "Aspects of a computational model for long water wave propagation", *Memorandum RH-5299-RR Rand Corporation*, Santa Monica.
- Leitão, P., 2003, *Integração de Escalas e de processos na Modelação do Ambiente Marinho*, Ph.D. thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, Lisboa.
- Leitão, P., H. Coelho, A. Santos and R. Neves, 2005, "Modelling the main features of the Algarve coastal circulation during July 2004: A downscaling approach", *Journal of Atmospheric & Ocean Science*, 10 (4), pp. 421-462.
- Lemos, P., 1972, *Estuário do Tejo*, Technical report, AGPL, Lisboa.
- Le Provost, C., F. Lyard, J. Molines, M. Genco and F. Rabilloud, 1998, "A hydrodynamic ocean tide model improved by assimilating a satellite altimeter derived data set", *Journal of Geophysical Research – Oceans*, 103, pp. 5513-5529.
- Levitus B., 1982, *Climatological atlas for the World Ocean*, NOAA Prog. Papers 13, US Government Printing Office, Washington DC.
- Madsen, H. and R. Cañizares, 1999, "Comparison of extended and ensemble Kalman filters for data assimilation in coastal area modelling", *International Journal for Numerical Methods in Fluids*, 31, pp. 961-981.
- Malanotte-Rizzoli, P. and E. Tziperman, 1996, "The Oceanographic Data Assimilation Problem: Overview, Motivation and Purposes", in Malanotte-Rizzoli, P. (Ed.), *Modern Approaches to Data Assimilation in Ocean Modeling*. Elsevier Oceanography Series, 61, Elsevier Science B.V., Amsterdam, pp. 3-17.
- Martin, M., M. Bell and N. Nichols, 2002, "Estimation of systematic error in an equatorial ocean model using data assimilation", *International Journal For Numerical Methods in Fluids*, 40, pp. 435-444.
- Martins, F., 1999. *Modelação Matemática Tridimensional de Escoamentos Costeiros e Estuarinos usando uma Abordagem de Coordenada Vertical Genérica*. Ph.D. Thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, Lisboa.
- Mateus, M., 2006, *A Process-Oriented Biogeochemical Model for Marine Ecosystems: Development, Numerical Study, and Application*, Ph.D Thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, Lisboa.
- Matsumoto, K., T. Takanezawa and M. Ooe, 2000, "Ocean Tide Models Developed by Assimilating TOPEX POSEIDON Altimeter Data into Hydrodynamical Model: A Global Model and a Regional Model around Japan", *Journal of Oceanography*, 56, pp. 567-581.
- Minster, J., 1998, *A Máquina Oceano*, Perspectivas Ecológicas, Instituto Piaget.
- Miranda, R., 1999, "Nitrogen Biogeochemical Cycle Modeling in the North Atlantic Ocean", Master Thesis, Instituto Superior Técnico, Lisboa.
- Miranda, R., F. Braunschweig, P. Leitão, R. Neves, F. Martins and A. Santos, 2000, "Mohid 2000, A Costal integrated object oriented model". *Hydraulic Engineering Software*, VIII, WIT Press.
- Mónica, P., 2004, Universidade Lusófona, personal conversation.
- Mourre, B., L. Crosnier and C. Provost, 2006, "Real-time sea-level gauge observations and operational oceanography", *Phil. Trans. R. Soc. A*, 364, pp. 867-884.
- Natvik, L.-J. and G. Evensen, 2003, "Assimilation of ocean colour data into a biochemical model of the North Atlantic - Part 2. Statistical analysis", *Journal of Marine Systems*, 40-41, pp. 155-169.

- Nerger, L., W. Hiller and J. Schröter, 2005, “A Comparison of Error Subspace Kalman Filters”, *Tellus A- Dynamic Meteorology and Oceanography*, 57(5), pp. 715-735.
- Neves, R., 1985, *Étude Expérimentale et Modélisation des Circulations Transitoire et Résiduelle dans l'Estuaire du Sado*, Ph. D. Thesis, Univ. Liège.
- Neves, R. and F. Martins, 1996, “Modelação Lagrangeana dos Processos de Transporte na Ria Formosa”, In *5ª Conferência Nacional Sobre a Qualidade do Ambiente*, Aveiro.
- Nihoul, J., 1984, “A three dimensional general Marine Circulation Model in a Remote Sensing Perspective”, *Annales Geophysicae*, 2, pp. 433-442.
- NOAA, 2002, “PORTS® Technology Working to Avoid Marine Traffic Accidents”, NOAA Magazine, May 3, in <http://www.noaanews.noaa.gov/magazine/stories/mag31.htm> (28/03/03).
- Parker, B., 1991, “The Relative Importance of the Various Nonlinear Mechanisms in a Wide Range of Tidal Interactions (Review)”, *Tidal Hydrodynamics*, edited by B. Parker.
- Pawlowicz, R., B. Beardsley and S. Lentz, 2002, “Classical tidal harmonic analysis including error estimates in MATLAB using T_TIDE”, *Computer & Geosciences*, 28, pp. 929-937.
- Peliz, A., J. Dubert, A. Santos, P. Oliveira and Le Cann, B., 2005, “Winter upper ocean circulation in the Western Iberian Basin – Fronts, Eddies and Poleward Flows: an overview”, *Deep Sea Research*, Part 1, 52 (4), pp. 621-646.
- Pfeiffer, K., H.-D. Knauth, F. Schröder, H. Nies and K. Grisard, not dated, “The Mermaid – OPMOD System, A Flexible System and Application Approach for Management and Sustainable Development of Exclusive Economic Zones”, Sustainable Development International, Edition 3, <http://www.sustdev.org/journals/others/iczm/03.183.pdf>, (28/03/03).
- Pham, D., J. Verron and M. Roubaud, 1998 (a), “A singular evolutive extended Kalman filter for data assimilation in oceanography”, *Journal of Marine Systems*, 16, pp. 323-340.
- Pham, D., J. Verron and L. Gourdeau, 1998 (b), “Singular evolutive Kalman filters for data assimilation in oceanography”, *C. R. Acad. Sci.*, 326, pp. 255-260.
- Pham, D., 2001, “Stochastic Methods for Sequential Data Assimilation in Strongly Nonlinear Systems”, *Monthly Weather Review*, 129, pp. 1194-1207.
- Philippart, M. and A. Gebraad, 2002, “Assimilating satellite altimeter data in operational sea level and storm surge forecasting”, in Flemming, N., S. Vallerga, N. Pinardi, H. Behrens, G. Manzella, D. Prandle, J. Stel (editors), *Operational Oceanography – Implementation at the European and Regional Scales, Proceedings of the Second International Conference on EuroGOOS*, Elsevier, Amsterdam, pp. 469-479.
- Pina, P., 2001, “Integrated Approach to Study the Tagus Estuary Water Quality”, Master Thesis, Instituto Superior Técnico, Lisboa.
- Portela, L., 1996, *Modelação matemática de processos hidrodinâmicos e de qualidade da água no Estuário do Tejo*, Ph.D. Thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa.
- Prandle, D., 2000 (a), “Introduction: operational oceanography in coastal waters”, *Coastal Engineering*, 41, pp. 3-13.
- Prandle, D., 2000 (b), “Operational oceanography – a view ahead”, *Coastal Engineering*, 41, pp. 353-359.
- Raick, C., A. Alvera-Azcarate, A. Barth, J. Brankart, K. Soetaert and M. Grégoire, 2007, “Application of a SEEK filter to a 1D biogeochemical model of the Ligurian Sea: Twin experiments and real in-situ data assimilation”, *Journal of Marine Systems*, 65, pp. 561-583.
- Riflet, G., 2005, *Freshwater cylinder test-case report*, MARETEC, Lisboa, unpublished.
- Robert, C., Blayo and E., Verron, J., 2006, “Comparison of reduced-order, sequential and variational data assimilation methods in the tropical Pacific Ocean”, *Ocean Dynamics*, 56, 624-633.

- Robinson, A., 1996, "Physical processes, field estimation and an approach to interdisciplinary ocean modeling", *Earth-Science Reviews*, 40, pp. 3-54.
- Ruiz-Villarreal, M., P. Montero, J. Taboada, R. Prego, P. Leitão and V. Pérez-Villar, 2002, "Hydrodynamic Model Study of the Ria de Pontevedra Under Estuarine Conditions", *Estuarine, Coastal and Shelf Science*, 54, pp. 101-113.
- Santos A., 1995, *Modelo hidrodinâmico de circulação oceânica e estuarina*, Ph.D. Thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, Lisboa.
- Sauvaget, P., E. David and C. Soares, 2000, "Modelling tidal currents on the coast of Portugal", *Coastal Engineering*, 40, pp. 393-409.
- Sellner, K., G. Doucette and E. Kirkpatrick, 2003, "Harmful algal blooms: causes, impacts and detection", *J. Ind. Microbiol. Biotechnol.*, 30, pp. 383-406.
- Silva, S., A. Ré, P. Pestana, A. Rodrigues and V. Quintino, 2004, "Sediment disturbance of the Tagus Estuary, Western Portugal: chronic contamination, sewage outfall operation and runoff events", *Marine Pollution Bulletin*, 49, pp. 154-162.
- Sousa, T., 2003, "Previsão Meteorológica em Portugal Continental utilizando o modelo operacional e de investigação MM5", Master Thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, Lisboa.
- Tinis, S. and R. Thomson, not dated, *Operational Modelling of Southwest British Columbia Waters using the Princeton Ocean Model*, Institute of Ocean Sciences, <http://www.pac.dfo-mpo.gc.ca/sci/juandefuca/brochure.pdf>, (28/03/03).
- UNESCO, 1981, *Tenth Report on the joint panel on oceanographic tables and standards*, Technical papers in marine science, N. 36.
- Torres, R., J. Allen and F. Figueiras, 2006, "Sequential data assimilation in an upwelling influenced estuary", *Journal of Marine Systems*, 60, pp. 317-329.
- Triantafyllou, G., I. Hoteit and G. Petihakis, 2003, "A singular evolutive interpolated Kalman filter for efficient data assimilation in a 3-D complex physical-biogeochemical model of the Cretan Sea", *Journal of Marine Systems*, 40-41, pp. 213-231.
- Triantafyllou, G., I. Hoteit, G. Korres and G. Petihakis, 2005, "Ecosystem Modeling and Data Assimilation of Physical Biochemical Processes in Shelf and Regional Areas of the Mediterranean Sea", *Appl. Num. Anal. Comp. Math.*, 2, pp. 262-280.
- Van Dolah, F., 2000, "Marine Algal Toxin: Origins, Health Effects, and Their Increased Occurrence", *Environmental Health Perspectives*, 108 (1), pp. 133-141.
- Vanney, J.-R. and Mougenot, D., 1990, "Un canyon sous-marin du type "gouf": le Canhão da Nazaré (Portugal)", *Oceanologica Acta*, 13(1), pp. 1-14.
- Vaz, N., J. Dias, P. Leitão and R. Nolasco, 2007, "Application of the Mohid-2D model to a mesotidal temperate coastal lagoon", *Computers & Geosciences*, 33, pp. 1204-1209.
- Verlaan, M., 1998, *Efficient Kalman Filtering Algorithms for Hydrodynamic Models*, PhD thesis, Technical University of Delft.
- Verlaan, M. and A. Heemink, 1995, "Reduced rank square root filters for large scale data assimilation problems", *In Second International Symposium on Assimilation of Observations in Meteorology and Oceanography*, World Meteorological Organization, pp. 247-252. Cited in Cañizares (1999).
- Verlaan, M. and A. Heemink, 1997, "Tidal flow forecasting using reduced rank square root filters", *Stochastic Hydrology and Hydraulics*, 11, pp. 349-368. Cited in Cañizares (1999).
- Verlaan, M. and A. Heemink, 2001, "Nonlinearity in data assimilation applications: a practical method for analysis", *Monthly Weather Review*, 129, pp. 1578-1589.

- Verron, J., L. Gourdeau, D. Pham, R. Murtugudde and A. Busalacchi, 1999, "An extended Kalman filter to assimilate satellite data into a nonlinear numerical model of the tropical pacific ocean: method and validation", *J. Geophys. Res.*, 104, pp. 5441-5458.
- Vested, H., J. Nielsen, H. Jensen, K. Kristensen, 1995, "Skill assessment of an operational hydrodynamic forecast system for the North Sea and Danish Belts", In Lynch, D. and A. Davies (Eds.), *Quantitative Skill Assessment for Coastal Ocean Models*, Coastal and Estuarine Studies 47 AGU, Washington DC.
- Vries, H. de, M. Breton, T. de Mulder, Y. Krestenitis, J. Ozer, R. Proctor, K. Ruddick, J. Salomon and A. Voorrips, 1995, "A comparison of 2D storm surge models applied to three shallow European seas", *Environmental Software*, 10(1), pp. 23-42.
- Wollast, R. and L. Chou, 2001, "The carbon cycle at the ocean margin in the northern Gulf of Biscay", *Deep Sea Research Part II: Topical Studies in Oceanography*, 48 (14-15), pps. 3265-3293.
- Zavatarelli, M. and N. Pinardi, 2003, "The Adriatic Sea modelling system: a nested approach", *Annales Geophysicae*, 21, pp. 345-364.
- Zhang, A., B. Parker and E. Wei, 2002, "Assimilation of water level data into a coastal hydrodynamic model by an adjoint optimal technique", *Continental Shelf Research*, 22, pp. 1909-1934.
- Zhang, W.-Z., H.-S. Hong, S.-P. Shang, D.-W. Chen and F. Chai, 2007, "A two-way nested coupled tide-surge model for the Taiwan Strait", *Continental Shelf Research*, 27, pp. 1548-1567.
- Zodiatis, G., R. Lardner, G. Georgiou, E. Demirov, G. Manzella and N. Pinardi, 2003, "An Operational European Global Ocean Observing System for the Eastern Mediterranean Levantine Basin: the Cyprus Coastal Ocean Forecasting and Observing System", *MTS Journal*, 37(3), pp. 115-123.